



GENERAL NOTES:

1. THIS DRAWING SHOULD BE READ IN CONJUNCTION WITH ALL RELEVANT STRUCTURAL & CIVIL ENGINEERING DRAWINGS AND SPECIFICATIONS AND ALL RELEVANT ARCHITECT'S AND M&E ENGINEER'S DRAWINGS AND SPECIFICATIONS.
2. THIS DRAWING MUST NOT BE SCALED; ANY DIMENSIONAL DISCREPANCIES SHOULD BE REPORTED PRIOR TO ANY WORK BEING CARRIED OUT.
3. SETTING OUT STRICTLY IN ACCORDANCE WITH ARCHITECT'S INFORMATION.
4. IT IS THE CONTRACTOR'S RESPONSIBILITY TO CHECK ALL DIMENSIONS ON SITE AND ANY DISCREPANCIES REPORTED WELL IN ADVANCE OF THE WORKS BEING CARRIED OUT.
5. ALLOW FOR ROUTING/PENETRATIONS THROUGH STRUCTURE FOR M&E INSTALLATIONS. REFER TO M&E SPEC AND DRAWINGS FOR FURTHER INFORMATION.
6. REFER TO STRUCTURAL SPECIFICATION REPORT FOR PROJECT REQUIREMENTS FOR STRUCTURAL WORKS.
7. WHERE APPLICABLE, ARCHITECTURAL AND OTHER DISCIPLINE'S DRAWINGS ARE PROVIDED AS AN INDICATIVE REFERENCE FOR CONTEXT ONLY - FOR ALL INFORMATION REFER TO RELEVANT CONSULTANT'S DRAWINGS.
8. PAD FOUNDATIONS SHOULD NOT BEAR ONTO MADE GROUND. FOUNDATION DEPTHS TBC ON SITE FOLLOWING VERIFICATION OF MADE GROUND DEPTH.
9. BACKFILLED SOIL AND VOID FORMER TO UNDERSIDE OF SUSPENDED SLAB CAN BE OMITTED IF APPROPRIATE FORMWORK IS USED AND REMOVED TO LEAVE A VOID TO UNDERSIDE OF SLAB.
10. GGBS CONCRETE TO BE USED FOR ALL IN SITU CONCRETE ELEMENTS.
11. CONCRETE STRENGTH TO BE C32/40.
12. CONCRETE FOUNDATIONS ARE EXPOSED TO SULPHATE ATTACK. SULPHATE RESISTING PANEL GRANULARS SHALL BE USED AS SHOWN. DESIGN INTENT ONLY. FINAL DESIGN TO BE CONFIRMED AT A LATER STAGE.

Rev.	Drn	Chk'd	Date	Description
P05	JE	AK	24.04.20	PRELIMINARY.
P04	JE	AK	03.04.20	PRELIMINARY.
P03	JE	AK	27.02.20	PRELIMINARY.
P02	JE	AK	13.02.20	PRELIMINARY.
P01	JE	AK	21.01.20	PRELIMINARY.

CORBETT & TASKER
 structural engineering
 Unit 8C, Canonbury Yard,
 190 New North Road,
 London,
 N1 7BJ
 0203 869 1940 corbett-tasker.com

Client	ADL	
Status	PRELIMINARY	
Project	AMARAVATI BUDDHIST MONASTERY	
Orig. Title	STRUCTURE WITH CLADDING	
Project No.	19365	Date 24.04.20
Drn	JE	Chk'd AK
Scale @ A1	NTS	Rev P05
Orig. No.	19365-CT-DR-S-902	